





**Horizontal
flow pack**



STIRIO 600


MADE IN ITALY



Flow pack
SIRIO
600




- RAL 9006 grey painted steel frame with AISI 304 stainless steel casing;
- Longitudinal sealing unit consisting of four pairs of wheels: pulling, re-heating, welding and sealing flap;
- Rotary transverse welding unit with one or multiple sealing up-jaw width 300 mm;
- One self-centring reel holder in lower position;
- Adjustable forming tunnel;
- Photocell for printed film;
- Film end micro-switch;
- Standard spare parts kit;
- Safety guards in transparent shockproof plastic material.



← Type of packaging

Product length	min 100 mm	max 450 mm
Product width	min 10 mm	max 200 mm
Product height	min 1 mm	max 180 mm
Reel holder width	600 mm on demand 700 and 800 mm	
Mechanical speed	from 10 to 80 rpm	
Weight	900 kg	
Power supply	4,4 Kw	

- Motorization by means of 3 independent Brushless motors
- Mechanical speed 80 rpm
- Voltage 400V / 3 phase Earth + Neutral, 50Hz
- Machine conforms to CE regulations





La nostra politica é di continuo miglioramento e sviluppo. Ci riserviamo quindi il diritto di modificare le informazioni contenute in questo catalogo senza nessun preavviso.
 © Delfin srl • Tutti i diritti riservati. È vietata la riproduzione anche parziale di immagini, disegni e testi senza autorizzazione scritta di Delfin srl.
 Our policy is aimed to a constant improvement and development. We therefore reserve the right to amend the information given in this cotalog without prior notice.
 © Delfin srl • All rights reserved. It is forbidden to reproduce, even partially, images, drawings and texts without first receiving the written permission of Delfin srl.



Delfin srl
 Via G. Keplero, 18
 36034 Malo, VI – Italy

☎ +39 0445 58 06 88
 ✉ info@delfin.it
 🌐 www.delfin.it

