

**Starch Free** processing for **Pectin** or **Gelatin** formulations

## GT2400



System pictured is a Pectin Line.

### - COOK



**Precise CFA pumps and electronic valves**  
Dose Color, Flavor and Additives automatically.

### - DEPOSIT



**Dual Hoppers with Servo Drive Controlled Dosators (80).** Automatic Adjustment for easy fill Volume Changes. Fill Volume Range 1-5g.


### - COOL




**3 Level Cooling Tunnel with 20hp Chilling System & 0-20°C controls.** Food Grade final Cooling Belt.

■ The GT2400 Automatic Gummy Production System is a starchless, stand-alone system capable of full production duties. With depositor speeds up to 240,000 gummies per hour, it is perfect for large production runs. This equipment can produce gummies in one or two colors.





# GT2400 GUMMY PRODUCTION SYSTEM



## Optional Equipment



Coater (Oil Coater pictured)



Automatic Tray Washer








## TECHNICAL SPECIFICATIONS

<b>MODEL:</b>	<b>GT2400</b>
<b>Production Capacity:</b>	600kg / hr
<b>Maximum Gummy Speed:</b>	240,000 / hr
<b>Electric Power Needed:</b>	220V / 3hp / 60Hz
<b>Chiller (optional):</b>	20hp
<b>Compressed Air Consumption:</b>	1.2m <sup>3</sup> / min

<b>Compressed Air Pressure:</b>	0.4-0.6 Mpa
<b>Room Conditions:</b>	
1. Temperature (°C)	22~25
2. Relative Humidity (%)	55 or Below
<b>Approx. Length of the Line w / Automatic Coater:</b>	108.5ft

# Top View Configurations of Popular Models\*

(Models Pictured are Set Up for Pectin Gummies)

**GT150****GT300****GT600****GT600 CONTINUOUS****GT1200****GT1200 CONTINUOUS****GT2400 CONTINUOUS**

\*Ultimate output per hour depends on several factors, such as; tank size, cleaning time and depositor speed.